

Test Date: July 23, 2021

## 2021 SAILFISH 360 CC

One (1) Seakeeper 3 was installed on a Sailfish 360 CC to provide roll stabilization at anchor and underway. This report summarizes the results of tests conducted by High Seas Marine Stabilizers in Panama City Beach, Florida, USA, on July 23, 2021, to measure the performance of the Seakeeper system at zero speed in beam seas.



## RESULT: 82% ROLL REDUCTION

In the sea conditions listed below, the Seakeeper 3 eliminated 82% of roll at the vessel's natural roll period.

### BOAT SPECIFICATIONS

Length Overall	10.97 m / 36.00 ft
Beam Overall	3.44 m / 11.30 ft
Displacement	8,391 kgs / 18,500 lbs
Natural Roll Period	2.93 seconds

### SEAKEEPER CONFIGURATION


Seakeeper Model	Seakeeper 3
Angular Momentum	3,000 N-M-S
Weight	250 kg / 550 lbs
Dimension	26.8 L x 27.4 W x 22.5 H (inches)

### TEST CONDITIONS (PROVIDED BY BUOYWEATHER)

Windy and choppy	
Wind	W 12 knots
Sea	SW 2 ft at 4 seconds

## PERFORMANCE DATA

■ Seakeeper On ■ Seakeeper Off



**82% ROLL REDUCTION**

### Notice to Consumer:

The measured roll data contained in this report represents the performance of the Seakeeper system on a specific vessel in an estimated sea condition. It is provided as a guideline and should not be relied upon as representative of performance on this vessel in other sea conditions or on other vessels. Please contact Seakeeper for gyro sizing and roll reduction predictions for your vessel.